

# Technical Specification of OCTAGONAL poles

## STANDARD SPECIFICATIONS

HEIGHT (Mtr.)	TOP Dia. (mm)	BOTTOM Dia (mm)	SHEET (mm)	BASE PLATE (LxBxT)	BOLT SIZE (no. x dia.) (mm)
3	60	130	3	210x210x12	4x16x350
4	60	130	3	210x210x12	4x16x450
5	60	130	3	210x210x12	4x16x450
6	60	130	3	210x210x12	4x16x450
6	60	130	4	210x210x12	4x16x450
7	60	130	3	210x210x12	4x20x600
7	70	135	3	225x225x12	4x20x600
7	70	135	4	225x225x12	4x20x600
7	70	150	3	240x240x16	4x20x600
7	70	150	4	240x240x16	4x20x600
8	70	135	3	240x240x16	4x20x600
8	70	135	4	240x240x16	4x20x600
8	70	150	3	240x240x16	4x20x750
8	70	150	4	240x240x16	4x20x750
9	70	155	3	260x260x16	4x20x750
9	70	155	4	260x260x16	4x20x750
9	70	175	3	300x300x16	4x20x750
9	70	175	4	300x300x16	4x20x750
9	100	200	3	310x310x16	4x20x750
9	100	200	4	310x310x16	4x20x750
10	70	155	3	260x260x20	4x20x750
10	70	155	4	260x260x20	4x20x750
10	100	200	3	310x310x20	4x20x750
10	100	200	4	310x310x20	4x20x750
11	70	155	3	260x260x20	4x20x750
11	70	155	4	260x260x20	4x20x750
11	100	200	3	310x310x20	4x20x750
11	100	200	4	310x310x20	4x20x750
12	100	200	3	310x310x20	4x20x750
12	100	200	4	310x310x20	4x20x750

## Standard specifications for Nezone Octagonal Poles

Model	Height	Section Length	Dia (A/F)		Thickness	Base Plate	PCD	Foundation Bolt Length	No of Bolts
			Top	Bottom		Size X Thickness			
mm	mm	mm	mm	mm	mm	mm	mm		
NZOP 3	3000	3000	70	130	3	200 x 12	200	450	4 x 16
NZOP 4	4000	4000	70	130	3	200 x 12	200	450	4 x 16
NZOP 5	5000	5000	70	130	3	200 x 12	200	600	4 x 16
NZOP 6	6000	6000	70	130	3	220 x 12	205	600	4 x 20
NZOP 7	7000	7000	70	130	3	220 x 12	205	700	4 x 20
NZOP 8	8000	8000	70	135	3	225 x 16	210	750	4 x 20
NZOP 9	9000	9000	70	155	3	260 x 16	250	750	4 x 24
NZOP 10	10000	10000	70	175	3	275 x 16	270	750	4 x 24
NZOP 11	11000	11000	90	210	3	300 x 20	300	750	4 x 24
NZOP 12	12000	12000	90	240	3	320 x 20	325	850	4 x 24
Hot Dip Galvanizing 65 Micron			Maximum Wind Speed 169 Km/hr			Maximum Section Length 12 Meters			

1. The Octagonal Poles Diameter indicates The Dimensions Across Face (A/F)
2. In addition to the above standards, poles can also be manufactured as per customers specifications
3. The Octagonal Pole Range is Standard Base Plate Mounted
4. The Octagonal Poles are Tapered Octagonal
5. The Octagonal Poles Range is available in Single and Double Outreach Arm Arrangements

**SSI**